

DATA SHEET 39100.100.44000

X-10.0

Coating suitable for dry toner copiers with good universal properties.

Printing Systems



Formats

Art.Number	Nominal thickness (mm)	Format	Packing quantity
39100.100.44000	0.100	A4	100
39100.100.43100	0.100	A3	50

Technical data

Characteristic

- Suitable for Mono Copier
- Excellent runnability
- Good flatness
- Excellent toner bonding

Finish

- Clear transparent

Specifications

Nominal thickness (mil)	4
Nominal thickness (mm)	0.100
Coating Printsides	Copier mono
Width (inch)	8.27
Width (mm)	210

Printside	Printable both sides
Format	A4
Length (inch)	11.69
Length (mm)	297
Base Material	Polyester film
Packing quantity	100

Compatibility

- For use on Mono Copiers.

Handling

- Please follow the handling instructions supplied with this product as well as the machine manufacturers manual.
- Avoid moisture and fingerprints.


Storage


- Once packaging is opened, store at a room temperature of 15 - 25°C and at a humidity of 30 - 60%.
- Shelf life 1 year after delivery (under recommended storage conditions)
- Store in a cool and dry place

Product liability clause

The foregoing information and any consulting provided by us in terms of application engineering shall be given to our best knowledge, but shall not be considered binding information neither with regard to any third party industrial property rights. Any such consulting shall not relieve you from your own review of our current consulting information as to their suitability for the intended procedures and applications. These shall be beyond our control, and be subject to your exclusive responsibility. The sale of our products shall be subject to our current General Terms and Conditions.

COPIER FILMS
KOPIERFOLIEN
FILMS POUR PHOTOCOPIEURS
FILM PER FOTOCOPIATRICI



Swiss quality 

folex[®]
I M A G I N G

X-10.0
0.100 mm
100 Sheets A4