

Product Name: TN-213BK, TN-223BK, TN-233BK, TN-243BK, TN-253BK, TN-263BK, TN-273BK, TN-283BK, TN-293BK, TN-217BK, TN-227BK, TN-237BK, TN-247BK, TN-267BK, TN-277BK, TN-287BK toner

Revision Date: 30-Sep-2020 Issuing Date: 04-Apr-2016 Revision Number: 3

Safety data sheet number: PT405-02

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier			
Product Name	TN-213BK, TN-223BK, TN-233BK, TN-243BK, TN-253BK, TN-263BK, TN-273BK, TN-283BK, TN-293BK, TN-217BK, TN-227BK, TN-237BK, TN-247BK, TN-267BK, TN-277BK, TN-287BK toner		
Product Form	Mixture		
Safety data sheet number	PT405-02		
1.2. Relevant identified uses of the s	substance or mixture and uses advised against		
Relevant identified uses	These products are black toner in a cartridge for Brother Industries, Ltd. laser printers, multifunction devices and fax receivers. The cartridge should be used as supplied by Brother and for use in the products stated. Information provided on this SDS is only consistent with the use specified by Brother.		
Uses advised against	No information available		
1.3. Details of the supplier of the saf	ety data sheet		
<u>Manufacturer</u>	Brother Industries, Ltd. 15-1 Naeshiro-cho, Mizuho-ku, Nagoya 467-8561, Japan Telephone (for information): +81-52-824-2735		
Importer_	(Europe) Brother International Europe Ltd. 1 Tame Street, Audenshaw, Manchester M34 5JE, UK Brother International (Nederland) B.V. Zanderij 25, 1185 ZM Amstelveen, The Netherlands Telephone (for information): +44-161-330-6531		
For further information, please cont	act		
E-mail address	sds.info@brother.co.jp		
1.4. Emergency telephone number	-		
Emergency Telephone	CHEMTREC +1-703-527-3887 (International)		
	For France only: Antipoison Center telephone number: ORFILA +33-1-45-425-959		

Section 2: Hazard(s) identification

2.1. Classification of the substance or mixture



Product Name: TN-213BK, TN-223BK, TN-233BK, TN-243BK, TN-253BK, TN-263BK, TN-273BK, TN-283BK, TN-293BK, TN-217BK, TN-227BK, TN-237BK, TN-247BK, TN-267BK, TN-277BK, TN-287BK toner

Revision Date: 30-Sep-2020 Issuing Date: 04-Apr-2016 Revision Number: 3

Safety data sheet number: PT405-02

Regulation (EC) No 1272/2008

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [GHS]

2.2. Label elements

```
Regulation (EC) No 1272/2008
```

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [GHS]

2.3. Other hazards

This product contains no substance considered to be persistent, bioaccumulating nor toxic (PBT). This product contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

Section 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	CAS No	EC No	EC Index No	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH Registration Number
Styrene-acrylate-copolymer	25767-47-9	-	-	65-75	Not classified	Not applicable
Fatty acid ester	**	-	-	8-18	Not classified	Registered
Carbon Black (bound)	1333-86-4	215-609-9	-	4-14	Not classified	01-2119384822- 32-XXXX
Styrene-acrylate Resin	**	-	-	<7	Not classified	Not applicable
PMMA	9011-14-7	-	-	1-5	Not classified	Not applicable
Silicon dioxide (amorphous)	112945-52-5	231-545-4	-	<3	Not classified	Pre-registered
Silicon Dioxide (amorphous)	7631-86-9	231-545-4	-	<3	Not classified	01-2119379499- 16-XXXX
Silicon dioxide (amorphous)	844491-94-7	430-570-1	-	<3	Not classified	Pre-registered

** CONFIDENTIAL

Full text of H- and EUH-phrases: see section 16

Section 4: First aid measures

4.1. Description of first aid measures

General advice If symptoms persist, call a physician.

Inhalation Get immediate medical advice/attention. IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.



Product Name: TN-213BK, TN-223BK, TN-233BK, TN-243BK, TN-253BK, TN-263BK, TN-273BK, TN-283BK, TN-293BK, TN-217BK, TN-227BK, TN-237BK, TN-247BK, TN-267BK, TN-277BK, TN-287BK toner

Revision Date: 30-Sep-2020 Issuing Date: 04-Apr-2016 Revision Number: 3

Safety data sheet number: PT405-02

Eye contact	In case of eye contact, immediately flush eyes with plenty of water for at least 15 minutes. Get immediate medical advice/attention.		
Skin contact:	Take off contaminated clothing. Wash off immediately with soap and plenty of water.		
Ingestion	Obtain immediate medical attention. Wash out mouth with water and give 100-200 ml of water to drink.		
4.2. Most important symptoms and	effects, both acute and delayed		
Symptoms	Inhalation (dust): For large quantities: May cause irritation to the respiratory system. Increased difficulty in breathing. Sneezing. Coughing Eye contact: May cause eye irritation Skin contact: Repeated and/or prolonged skin contact may cause irritation Ingestion: May cause stomach ache. Unlikely route of exposure		
4.3. Indication of any immediate me	dical attention and special treatment needed		
Note to physicians	Treat symptomatically.		
Section 5: Firefighting mea	asures		
5.1. Extinguishing media			
Suitable Extinguishing Media	Dry chemical, CO ₂ , water spray or regular foam		
Unsuitable extinguishing media	Do not use water jet		
5.2. Special hazards arising from th	e substance or mixture		
Specific hazards arising from the	May form explosive dust clouds in air		

Specific hazards arising from the	May form explosive dust clouds in air
chemical	

5.3. Advice for firefighters

Special protective equipment for fire-fighters Do not use high-pressure water in order to prevent creating a dust cloud and spreading fire dust. Use appropriate respirator for carbon monoxide and carbon dioxide. Wear positive pressure self-contained breathing apparatus (SCBA) during the attack phase of firefighting operations and during cleanup in enclosed or poorly ventilated areas immediately after a fire. Personnel not having suitable respiratory protection must leave the area to prevent significant exposure to toxic combustion gases from any source.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel Ensure adequate ventilation Avoid contact with skin and eyes



Product Name: TN-213BK, TN-223BK, TN-233BK, TN-243BK, TN-253BK, TN-263BK, TN-273BK, TN-283BK, TN-293BK, TN-217BK, TN-227BK, TN-237BK, TN-247BK, TN-267BK, TN-277BK, TN-287BK toner

Revision Date: 30-Sep-2020 Issuing Date: 04-Apr-2016 Revision Number: 3

Safety data sheet number: PT405-02

For emergency responders	Avoid generation of dust. Do not breathe dust. A suitable dust mask or dust respirator with filter type A/P may be appropriate.		
6.2. Environmental precautions			
Environmental precautions	Prevent substance entering sewers. Washings must be prevented from entering surface water drains.		
6.3. Methods and material for contain	inment and cleaning up		
Methods for containment	Sweep the spilt toner or remove it with a vacuum cleaner and transfer into a sealed container carefully. Sweep slowly to minimize generation of dust during cleanup. If a vacuum cleaner is used, the motor must be rated as dust explosion proof. Potential for very fine particles to be taken into the vacuum only to be passed back into the environment due to pore size in the bag or filter.		
Methods for cleaning up	Take up mechanically, placing in appropriate containers for disposal		
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.		
6.4. Reference to other sections			
Reference to other sections	See section 8 for more information. See section 13 for more information.		

Section 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling	Keep out of the reach of children. Avoid generation of dust. Avoid inhalation of high concentrations of dust. Avoid contact with eyes.		
General hygiene considerations	Handle in accordance with good industrial hygiene and safety practice.		
7.2. Conditions for safe storage, including any incompatibilities			
Storage Conditions	Keep away from oxidizing agents.		
7.3. Specific end use(s)			
Specific use(s)	These products are black toner in a cartridge for Brother Industries, Ltd. laser printers, multifunction devices and fax receivers. This cartridge should be used as supplied by Brother and for use in the products stated.		

Section 8: Exposure controls and personal protection

8.1. Control parameters



Product Name: TN-213BK, TN-223BK, TN-233BK, TN-243BK, TN-253BK, TN-263BK, TN-273BK, TN-283BK, TN-293BK, TN-217BK, TN-227BK, TN-237BK, TN-247BK, TN-267BK, TN-277BK, TN-287BK toner

.

Revision Date: 30-Sep-2020 Issuing Date: 04-Apr-2016 Revision Number: 3

Safety data sheet number: PT405-02

Exposure Limits

Chemical name	European Union	United Kingdom	France	Spain	Germany
Carbon Black (bound) 1333-86-4	-	TWA: 3.5 mg/m ³ STEL: 7 mg/m ³	TWA: 3.5 mg/m ³	TWA: 3.5 mg/m ³	-
Silicon Dioxide (amorphous) 7631-86-9	-	TWA: 6 mg/m ³ TWA: 2.4 mg/m ³ STEL: 18 mg/m ³ STEL: 7.2 mg/m ³	-	-	TWA: 4 mg/m ³
Chemical name	Italy	Portugal	Netherlands	Finland	Denmark
Carbon Black (bound) 1333-86-4	-	TWA: 3.5 mg/m ³	-	TWA: 3.5 mg/m ³ STEL: 7 mg/m ³	TWA: 3.5 mg/m ³
Silicon Dioxide (amorphous) 7631-86-9	-	-	-	TWA: 5 mg/m ³	-
Chemical name	Austria	Switzerland	Poland	Norway	Ireland
Carbon Black (bound) 1333-86-4	-	-	TWA: 4.0 mg/m ³	TWA: 3.5 mg/m ³ STEL: 7 mg/m ³	TWA: 3 mg/m ³ STEL: 15 mg/m ³
Silicon dioxide (amorphous) 112945-52-5	TWA: 4 mg/m ³	TWA: 4 mg/m ³	-	-	-
Silicon Dioxide (amorphous) 7631-86-9	TWA: 4 mg/m ³	TWA: 4 mg/m ³	-	TWA: 1.5 mg/m ³ STEL: 1.5 mg/m ³	TWA: 6 mg/m ³ TWA: 2.4 mg/m ³ STEL: 18 mg/m ³ STEL: 7.2 mg/m ³

Derived No Effect Level (DNEL)

No information available.

Predicted No Effect Concentration No information available. **(PNEC)**

8.2. Exposure controls

Appropriate engineering controls	Good general ventilation should be sufficient under normal use.	
Personal protective equipment	Not normally required. For use other than in normal operating procedures (such as in the event of large spill), the following should be applied:	
Eye/face protection	Safety goggles.	
Hand protection	Protective gloves.	
Skin and body protection	Long sleeved clothing and long pants	
Respiratory protection	Face Mask. In case of large spillages: Wear suitable respiratory protective equipment.	
Environmental exposure controls	Avoid release to the environment.	



Product Name: TN-213BK, TN-223BK, TN-233BK, TN-243BK, TN-253BK, TN-263BK, TN-273BK, TN-283BK, TN-293BK, TN-217BK, TN-227BK, TN-237BK, TN-247BK, TN-267BK, TN-277BK, TN-287BK toner

Solid Powder

black

Revision Date: 30-Sep-2020 Issuing Date: 04-Apr-2016 Revision Number: 3

Safety data sheet number: PT405-02

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Physical state Color Odor Odor threshold

Property Hα Melting point / freezing point Boiling point / boiling range Flash point **Evaporation rate** Flammability (solid, gas) Flammability Limit in Air Upper flammability limit: Lower flammability limit: Vapor pressure Vapor density **Relative density** Water solubility Solubility(ies) **Partition coefficient** Autoignition temperature Decomposition temperature Kinematic viscosity Dynamic viscosity **Explosive properties**

Odorless No information available Values Not applicable No data available Not applicable Not applicable No data available Not applicable No data available No data available Not applicable Not applicable No data available Insoluble in water No data available No data available No data available No data available Not applicable Not applicable No information available

Oxidizing properties

9.2. Other information No information available No information available

None known, None known None known None known None known None known

Remarks • Method

None known

None known

None known

None known None known None known None known None known Explosive limits of toner particles suspended in air approximately equal to that of coal dust

Section 10: Stability and reactivity

10.1. Reactivity

No information available.

10.2. Chemical stability

Stable under normal conditions.



Product Name: TN-213BK, TN-223BK, TN-233BK, TN-243BK, TN-253BK, TN-263BK, TN-273BK, TN-283BK, TN-293BK, TN-217BK, TN-227BK, TN-237BK, TN-247BK, TN-267BK, TN-277BK, TN-287BK toner

Revision Date: 30-Sep-2020 Issuing Date: 04-Apr-2016 Revision Number: 3

Safety data sheet number: PT405-02

10.3. Possibility of hazardous reactions

No information available.

10.4. Conditions to avoid

Keep at a temperature not exceeding 200 °C. Keep away from heat. Avoid friction, sparks, or other means of ignition.

10.5. Incompatible materials

Strong oxidizing agents

10.6. Hazardous decomposition products

Carbon monoxide, Carbon dioxide (CO₂), Nitrogen oxides (NOx)

Section 11: Toxicological information

11.1. Information on toxicological effects

Product Information

Inhalation	Acute $LC_{50} > 5.2 \text{ mg/l/4h}$ (OECD 436 method)		
Eye contact	No information available		
Skin contact:	No information available		
Ingestion	Acute LD ₅₀ > 2000 mg/kg (OECD 420 method)		
Skin corrosion/irritation	Non-irritant (OECD 404 method) pH: Not applicable		
Serious eye damage/eye irritation	Minimal irritant to the eye (OECD 405 method) pH: Not applicable		
Respiratory or skin sensitization	It is not a skin sensitizer (OECD 429 method)		
Germ cell mutagenicity	AMES test : Negative (OECD 471 method)		
Carcinogenicity	Carbon Black: In 1996, the IARC re-evaluated carbon black as a Group 2B carcinogen (possible human carcinogen). This classification is given to chemicals, for which there is inadequate human evidence, but sufficient animal evidence on which to base an opinion of carcinogenicity. The classification is based upon the development of lung tumors in rats receiving chronic inhalation exposures to free carbon black at levels that induce particle overload of the lung. Studies performed in animal models other than rats did not show any association between carbon black and lung tumors. Moreover, a two-year cancer bioassay using a typical toner preparation containing carbon black demonstrated no association between toner exposure and tumor development in rats.		



Product Name: TN-213BK, TN-223BK, TN-233BK, TN-243BK, TN-253BK, TN-263BK, TN-273BK, TN-283BK, TN-293BK, TN-217BK, TN-227BK, TN-237BK, TN-247BK, TN-267BK, TN-277BK, TN-287BK toner

Revision Date: 30-Sep-2020 Issuing Date: 04-Apr-2016 Revision Number: 3

Safety data sheet number: PT405-02

	Other ingredients of this product have not been classified as carcinogens according to IARC monographs, NTP and OSHA
Reproductive toxicity	Not classified.
STOT - single exposure	Not classified.
STOT - repeated exposure	Not classified
Aspiration hazard	Not classified.

Section 12: Ecological information

12.1. Toxicity

Ecotoxicity The environmental impact of this product has not been fully investigated

Contains 0 % of components with unknown hazards to the aquatic environment

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Carbon Black (bound)	-	-	-	5600: 24 h Daphnia magna mg/L EC50
Silicon Dioxide (amorphous)	440: 72 h Pseudokirchneriella subcapitata mg/L EC50	5000: 96 h Brachydanio rerio mg/L LC50 static	-	7600: 48 h Ceriodaphnia dubia mg/L EC50

12.2. Persistence and degradability

No information available.

12.3. Bioaccumulative potential

No information available.

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

This product contains no substance considered to be persistent, bioaccumulating nor toxic (PBT). This product contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

12.6. Other adverse effects

No information available.



Product Name: TN-213BK, TN-223BK, TN-233BK, TN-243BK, TN-253BK, TN-263BK, TN-273BK, TN-283BK, TN-293BK, TN-217BK, TN-227BK, TN-237BK, TN-247BK, TN-267BK, TN-277BK, TN-287BK toner

Revision Date: 30-Sep-2020 Issuing Date: 04-Apr-2016 Revision Number: 3

Safety data sheet number: PT405-02

Section 13: Disposal considerations

13.1. Waste treatment methods

Do not put toner or toner cartridges into a fire, this can cause fire to spread with the risk of causing burn injuries. Shred toner cartridges in a dust/explosion controlled environment. Finely dispersed particles may form explosive mixtures in the air. Dispose of in accordance with Federal, State, and local regulations.

Section 14: Transport information

IMDG	<u>i -</u>	
14.1	UN/ID no	Not regulated
14.2	Proper shipping name	Not regulated
14.3	Hazard Class	Not regulated
14.4	Packing group	Not regulated
14.5	Marine pollutant	Not applicable
14.6	Special Provisions	None
14.7	Transport in bulk according to	oNot applicable
Anne	x II of MARPOL 73/78 and the	
IBC C	ode	
RID		
14.1	UN/ID no	Not regulated
14.2	Proper shipping name	Not regulated
14.3	Hazard Class	Not regulated
14.4	Packing group	Not regulated
14.5	Environmental hazard	Not applicable
14.6	Special Provisions	None
ADR		
14.1	UN/ID no	Not regulated
14.2	Proper shipping name	Not regulated
14.3	Hazard Class	Not regulated
14.4	Packing group	Not regulated
14.5	Environmental hazard	Not applicable
14.6	Special Provisions	None
<u>IATA</u>	_	
14.1	UN/ID no	Not regulated
14.2	Proper shipping name	Not regulated
14.3	Hazard Class	Not regulated
14.4	Packing group	Not regulated
14.5	Environmental hazard	Not applicable
14.6	Special Provisions	None

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture



Product Name: TN-213BK, TN-223BK, TN-233BK, TN-243BK, TN-253BK, TN-263BK, TN-273BK, TN-283BK, TN-293BK, TN-217BK, TN-227BK, TN-237BK, TN-247BK, TN-267BK, TN-277BK, TN-287BK toner

Revision Date: 30-Sep-2020 Issuing Date: 04-Apr-2016 Revision Number: 3

Safety data sheet number: PT405-02

EU-Regulations

* Contains no substances listed in REACH Regulation (EC) No.1907/2006 ANNEX XVII.

* Contains no substance listed in REACH Regulation (EC) No.1907/2006 Candidate List for Authorization.

* Contains no substances listed in REACH Regulation (EC) No.1907/2006 ANNEX XIV.

National Regulations

No information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

Section 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend

 SVHC: Substances of Very High Concern for Authorization:

 TWA
 TWA (time-weighted average)
 STEL
 STEL (Short Term Exposure Limit)

 **
 Trade secret

Key literature references and sources for data No information available

Revision Date 30-Sep-2020

Issuing Date 04-Apr-2016

Revision Note

Importer information has been changed.

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

Disclaimer

The information relates only to this product. It may not be valid, if used in combination with any other materials or in any other process, and it is based on our best knowledge as of the date of preparation (revision).