

Whiteboard Conditioner

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 - Product identifier

Trade name/designation Whiteboard Conditioner

Chemical name

Product-type Mixture

Product code 1196742

UFI: 0500-Q06Q-W00U-TCHE

1.2 - Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

- Washing and cleaning products
- Consumer uses: Private households (= general public = consumers)

1.3 - Details of the supplier of the safety data sheet

Distributed in EU by: Viking Netherlands B.V.

Columbusweg 33 · 5928 LA Venlo, The Netherlands · Tel. +31 77 326 50 00

Distributed in UK by: Viking Office UK Limited

501 Beaumont Leys Lane · Leicester LE4 2BN, United Kingdom · Tel. +44 (0)116 237 2006

eu_quality_ownbrand@vikingoffice.eu

1.4 - Emergency telephone number

Poison Control Centre (Austria)

Tel. No.: +43 1 406 4343

Antigif Centrum Centre Antipoisons (Belgium)

Tel. No.: +32 070 245 245

National Toxicology Centre, Hospital for Active Medical Treatment and Emergency Medicine "N.I.Pirogov" (Bulgaria)

Tel. No. / fax: +359 2 9154 233

Poison Control Centre (Croatia)

Tel. No.: +385 1 234 8342

Toxicological Information Centre (Czech Republic)

Tel. No.: +420 224 919 293 / +420 224 915 402

Poison Control Hotline (Denmark)

Tel. No.: +45 82 12 12 12

Poisoning Information Centre (Estonia)

Tel. No.: +372 794 3794 (or 16662 national)

Poison Information Centre (Finland)

Tel. No.: +358 09 471 977

ORFILA (INERIS) (France)

Tel. No.: +33 (0) 1 45 42 59 59

Poison Control Center, Charité – Universitätsmedizin Berlin, Hindenburgdamm 30, 12203 Berlin (Germany)

Tel. No.: +4930 30686700

Health Toxicological Information Service (Hungary)

Tel. No.: +36 80 20 11 99

Whiteboard Conditioner

Poison Centre (Iceland)
Tel. No.: +354 543 2222

CAV Milano Niguarda Ca' Granda (Italy)
Tel. No.: +39 02 66101029
CAV "Osp. Pediatrico Bambino Gesù" Dip. Emergenza e Accettazione DEA
Tel. No.: +39 06 68593726

National Poisons Information Centre (Ireland)
Tel. No.: +353 (0)1 809 2566 / +353 (0)1 837 9964

Mater Dei Hospital (Malta)
Tel. No.: +356 2545 0000

National Poisons Information Centre (NVIC) (Netherlands)
Tel. No.: +31 (0) 30 274 8888

Mental Health Helpline (Norway)
Tel. No.: +47 22 59 13 00

Instituto Nacional de Emergência Médica (Portugal)
Tel. No.: +351 213 303 271

Biroul RSI si Informare Toxicologica (Romania)
Tel. No.: +40 021 318 3606

National Toxicological Information Centre (NTIC) (Slovakia)
Tel. No.: +421 2 5477 4166

Toxicology Information Service (Spain)
Tel. No.: +34 91 562 04 20

Swedish Poisons Information Centre (Sweden)
Tel. No.: +46 08 331231

Emergency telephone: Monday - Friday 8am - 10pm +370 682 54054 (Kaunas, Lithuania)
In the event of a medical enquiry involving this product, please contact your doctor or local hospital accident and emergency department. In case of a medical emergency following exposure to a chemical call NHS Direct in England or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 24.

SECTION 2: Hazards identification

2.1 - Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

| | |
|------------------|------------------------------------------|
| Eye Irrit. 2 | Eye irritation - Category 2 |
| STOT SE 3 (H336) | STOT-single exposure - Category 3 (H336) |
| Aerosol 1 | Aerosol - Category 1 |
| Skin Irrit. 2 | Irritation, Category 2 |

2.2 - Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Contains: propan-2-ol, isopropyl alcohol, isopropanol (CAS No.: 67-63-0)

Whiteboard Conditioner

Signal word : Danger

Hazard pictograms



Hazard statements

| | |
|------|--------------------------------------------|
| H222 | Extremely flammable aerosol |
| H229 | Pressurised container: May burst if heated |
| H315 | Causes skin irritation |
| H319 | Causes serious eye irritation |
| H336 | May cause drowsiness or dizziness |

Precautionary statements

| | |
|----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------|
| P102 | Keep out of reach of children. |
| P210 | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. |
| P211 | Do not spray on an open flame or other ignition source. |
| P251 | Do not pierce or burn, even after use. |
| P261 | Avoid breathing fume/gas/mist/vapours/spray. |
| P271 | Use only outdoors or in a well-ventilated area. |
| P280 | Wear protective gloves/protective clothing/eye protection/face protection. |
| P302+P352 | IF ON SKIN: Wash with plenty of water and soap. |
| P305+P351+P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P337+P313 | If eye irritation persists: Get medical advice/attention. |
| P410+P412 | Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. |
| P501 | Dispose of contents/container to an appropriate recycling or disposal facility in accordance with local/regional/national/international regulation. |

EUH-phrases : None

Regulation (EC) No. 648/2004 (Detergents regulation)

- Labelling for contents according to regulation (EC) No. 648/2004:
- Hydrocarbons, aliphatic
- phosphates

Zone libre de la rubrique 1501 pour les détergents

2.3 - Other hazards

PBT-substance.

- This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

vPvB-substance.

- This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

SECTION 3: Composition / information on ingredients

3.1 - Substances

Whiteboard Conditioner

Not applicable

3.2 - Mixtures

- >= 30 % aliphatic hydrocarbons, < 5 % phosphates.

| Chemical name | No | % | Class(es) | Specific concentration limit |
|---------------------------------------------|----------------------------------------------------------------------|----------------|-----------------------------------------------------------------------|------------------------------|
| propan-2-ol, isopropyl alcohol, isopropanol | CAS No. : 67-63-0 Index No. : 603-117-00-0 EC No. : 200-661-7 | >= 60 - < 65 | Eye Irrit. 2 - H319 Flam. Liq. 2 - H225 STOT SE 3 (H336) - H336 | Not applicable |
| butane | CAS No. : 106-97-8 Index No. : 601-004-00-0 EC No. : 203-448-7 | >= 20 - < 25 | Flam. Gas 1 - H220 Press. Gas | Not applicable |
| propane | CAS No. : 74-98-6 Index No. : 601-003-00-5 EC No. : 200-827-9 | >= 10 - < 12.5 | Flam. Gas 1 - H220 Press. Gas | Not applicable |
| Phosphoric acid, 2-ethylhexyl ester | CAS No. : 12645-31-7 Index No. : EC No. : 235-741-0 | >= 1 - < 2.5 | | Not applicable |

SECTION 4: First aid measures

4.1 - Description of first aid measures

Following inhalation

- No special measures are necessary.
- Provide fresh air.

Following skin contact

- Wash immediately with: Water
- When in doubt or if symptoms are observed, get medical advice.

After eye contact

- Rinse immediately carefully and thoroughly with eye-bath or water.
- In case of eye irritation consult an ophthalmologist.

After ingestion

- Rinse mouth thoroughly with water.
- Do NOT induce vomiting.

4.2 - Most important symptoms and effects, both acute and delayed

Symptoms and effects - Following inhalation

- No information available.

Symptoms and effects - Following skin contact

- No information available.

Symptoms and effects - After eye contact

- Causes eye irritation.

Symptoms and effects - After ingestion

- No information available.

4.3 - Indication of any immediate medical attention and special treatment needed

- In case an intoxication is suspected, National Poisons Information Centre should be addressed immediately, number of Emergency telephone see in section 1.4.
- Treat symptomatically.

SECTION 5: Firefighting measures

5.1 - Extinguishing media

Suitable extinguishing media

- ABC-powder
- Carbon dioxide (CO2)
- Foam

Whiteboard Conditioner

- Extinguishing powder

Unsuitable extinguishing media

- Full water jet

5.2 - Special hazards arising from the substance or mixture

Special hazards arising from the substance or mixture

- No information available.

5.3 - Advice for firefighters

- Co-ordinate fire-fighting measures to the fire surroundings.

SECTION 6: Accidental release measures

6.1 - Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

- Use personal protection equipment.

For emergency responders

- No information available.

6.2 - Environmental precautions

- No information available.

6.3 - Methods and material for containment and cleaning up

Methods and material for containment

- No information available.

Methods and material for cleaning up

- Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

- Wash with plenty of water.

Inappropriate techniques

- No information available.

6.4 - Reference to other sections

- Disposal: see section 13

- Personal protection equipment: see section 8

SECTION 7: Handling and storage

7.1 - Precautions for safe handling

Recommendation

- Avoid: Eye contact

- It is recommended to design all work processes always so that the following is excluded: Eye contact

Advices on general occupational hygiene

- No information available.

7.2 - Conditions for safe storage, including any incompatibilities

- Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

- Vapours can form explosive mixtures with air.

7.3 - Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1 - Control parameters

Whiteboard Conditioner

| propan-2-ol, isopropyl alcohol, isopropanol (67-63-0) | |
|-------------------------------------------------------|------------------------|
| TWA EH40 ppm (UK) | 400 ppm |
| TWA EH40 mg/m ³ (UK) | 999 mg/m ³ |
| STEL EH40 ppm (UK) | 500 ppm |
| STEL EH40 mg/m ³ (UK) | 1250 mg/m ³ |
| butane (106-97-8) | |
| IOELV TWA mg/m ³ (UE) | 1450 mg/m ³ |
| IOELV TWA ppm (UE) | 600 ppm |
| TWA EH40 ppm (UK) | 600 ppm |
| TWA EH40 mg/m ³ (UK) | 1450 mg/m ³ |
| STEL EH40 ppm (UK) | 750 ppm |
| STEL EH40 mg/m ³ (UK) | 1810 mg/m ³ |

DNEL / PNEC

| propan-2-ol, isopropyl alcohol, isopropanol (67-63-0) | | | |
|-------------------------------------------------------|-----------------------|-----------|----------|
| Type | Value | User | Effect |
| DNEL long-term oral (repeated) | 26 mg/kg bw/day | Consumers | Systemic |
| DNEL long-term inhalative | 500 mg/m ³ | Workers | Systemic |
| DNEL long-term inhalative | 89 mg/m ³ | Consumers | Systemic |
| DNEL long-term dermal | 319 mg/kg bw/day | Consumers | Systemic |
| DNEL long-term dermal | 888 mg/kg bw/day | Workers | Systemic |
| PNEC aquatic, freshwater | 140.9 mg/l | | |
| PNEC aquatic, marine water | 140.9 mg/l | | |
| PNEC aquatic, intermittent release | 140.9 mg/l | | |
| PNEC sediment, freshwater | 552 mg/kg | | |
| PNEC sediment, marine water | 552 mg/kg | | |
| PNEC Secondary Poisoning | 160 mg/kg | | |
| PNEC sewage treatment plant (STP) | 2251 mg/l | | |

8.2 - Exposure controls

Appropriate engineering controls - No information available.

Individual protection measures, such as personal protective equipment

- For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.
- If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.
- Particle filter device (DIN EN 143)
- Wear anti-static footwear and clothing
- Wear eye/face protection.
- Wear suitable gloves.

SECTION 9: Physical and chemical properties

9.1 - Information on basic physical and chemical properties

| | | | |
|-----------------------|------------|-------------------|----------------|
| <u>Physical state</u> | Liquid | <u>Appearance</u> | Aerosol |
| <u>Colour</u> | colourless | <u>Odour</u> | characteristic |

Whiteboard Conditioner

| | |
|-------------------------------|-------------------------|
| Odour threshold | No data available |
| pH | No data available |
| Melting point | No data available |
| Freezing point | No data available |
| Boiling point | < -20 °C |
| Flash point | < -20 °C |
| Evaporation rate | No data available |
| flammability | No data available |
| Lower explosion limit | 2 % Vol. |
| Upper explosion limit | 15 % Vol. |
| Vapour pressure | No data available |
| Vapour density | No data available |
| Relative density | No data available |
| Density | 0.687 g/cm ³ |
| Solubility (Water) | No data available |
| Solubility (Ethanol) | No data available |
| Solubility (Acetone) | No data available |
| Solubility (Organic solvents) | No data available |
| Log KOC | No data available |
| Auto-ignition temperature | 399 °C |
| Decomposition temperature | No data available |
| Kinematic viscosity | No data available |
| Dynamic viscosity | No data available |

Particle characteristics

| | |
|---------------|-------------------|
| Particle size | No data available |
|---------------|-------------------|

9.2 - Other information

| | |
|-------------------------|-------------------|
| VOC content | 98.7 % |
| Minimum ignition energy | No data available |
| Conductivity | No data available |

SECTION 10: Stability and reactivity

10.1 - Reactivity

- This material is considered to be non-reactive under normal use conditions.

10.2 - Chemical stability

- The product is chemically stable under recommended conditions of storage, use and temperature.

10.3 - Possibility of hazardous reactions

- No hazardous reaction when handled and stored according to provisions.

10.4 - Conditions to avoid

- No information available.

10.5 - Incompatible materials

- No information available.

Whiteboard Conditioner

10.6 - Hazardous decomposition products

- Does not decompose when used for intended uses.

SECTION 11: Toxicological information

11.1 - Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity - Not classified

Toxicity : Mixture

| | |
|---------------------------------------|-------------------|
| LD50 oral (rat) | No data available |
| LD50 dermal (rat) | No data available |
| LD50 dermal (rabbit) | No data available |
| LC50 inhalation (rat) | No data available |
| LC50 inhalation dusts and mists (rat) | No data available |
| LC50 inhalation vapours (rat) | No data available |

- Based on available data, the classification criteria are not met.

Toxicity : Substances

| | |
|-------------------------------------------------------|---------------|
| propan-2-ol, isopropyl alcohol, isopropanol (67-63-0) | |
| LD50 oral (rat) | 5840 mg/kg |
| LD50 dermal (rabbit) | 13900 mg/kg |
| LC50 inhalation vapours (rat) | 5000 mg/l |
| butane (106-97-8) | |
| LC50 inhalation (rat) | > 800000 ppmV |
| LC50 inhalation vapours (rat) | 658 mg/l |
| propane (74-98-6) | |
| LC50 inhalation (rat) | > 800000 ppmV |
| LC50 inhalation vapours (rat) | 20 mg/l |

Skin corrosion/irritation - Irritation, Category 2 - Causes skin irritation

- Irritating to skin.

Serious eye damage/eye irritation - Eye irritation - Category 2 - Causes serious eye irritation

- Irritating to eyes.
- Risk of serious damage to eyes.

Respiratory or skin sensitisation - Not classified

Germ cell mutagenicity - Not classified

Carcinogenicity - Not classified

Reproductive toxicity - Not classified

STOT-single exposure - STOT-single exposure - Category 3 (H336) - May cause drowsiness or dizziness

STOT-repeated exposure - Not classified

Whiteboard Conditioner

- Repeated exposure may cause skin dryness or cracking.

Aspiration hazard - Not classified

11.2 - Information on other hazards

- This substance does not have endocrine disrupting properties with respect to humans.

SECTION 12: Ecological information

12.1 - Toxicity

Toxicity : Mixture

| | |
|-----------------------------------|-------------------|
| EC50 48 hr crustacea | No data available |
| LC50 96 hr fish | No data available |
| ErC50 algae | No data available |
| ErC50 other aquatic plants | No data available |
| NOEC chronic fish | No data available |
| NOEC chronic crustacea | No data available |
| NOEC chronic algae | No data available |
| NOEC chronic other aquatic plants | No data available |

Toxicity : Substances

| | |
|--------------------------------------------------------------|------------------------------|
| propan-2-ol, isopropyl alcohol, isopropanol (67-63-0) | |
| EC50 48 hr crustacea | 1000 mg/l |
| LC50 96 hr fish | 9640 mg/l |
| ErC50 algae | > 100 mg/l |
| NOEC chronic algae | 1800 mg/l |
| butane (106-97-8) | |
| LC50 96 hr fish | 24.11 mg/l < V < 147.54 mg/l |
| ErC50 algae | 7.71 mg/l < V < 16.5 mg/l |
| ErC50 other aquatic plants | 7.02 mg/l < V < 69.43 mg/l |
| propane (74-98-6) | |
| LC50 96 hr fish | 24.11 mg/l < V < 147.54 mg/l |
| ErC50 algae | 7.71 mg/l < V < 16.5 mg/l |
| ErC50 other aquatic plants | 7.02 mg/l < V < 69.43 mg/l |
| Phosphoric acid, 2-ethylhexyl ester (12645-31-7) | |
| LC50 96 hr fish | > 100 mg/l |
| ErC50 algae | 33 mg/l |
| ErC50 other aquatic plants | > 100 mg/l |

- The substance/mixture does not fulfill the criteria of the acute aquatic toxicity according to Regulation (EC) No 1272/2008 [CLP], Annex I.

12.2 - Persistence and degradability

| | |
|---------------------------------|-------------------|
| Biochemical oxygen demand (BOD) | No data available |
| Chemical oxygen demand (COD) | No data available |
| % of biodegradation in 28 days | No data available |

- No information available.

Whiteboard Conditioner

12.3 - Bioaccumulative potential

| | |
|-------------------------------|-------------------|
| Bioconcentration factor (BCF) | No data available |
| Log KOC | No data available |

- No indication of bioaccumulation potential.

12.4 - Mobility in soil

- No information available.

12.5 - Results of PBT and vPvB assessment

- This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

- This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

12.6 - Endocrine disrupting properties

- The product contains a substance that is identified as having endocrine disrupting properties.

12.7 - Other adverse effects

- No information available.

SECTION 13: Disposal considerations

13.1 - Waste treatment methods

Waste treatment methods - Dispose of waste according to applicable legislation.

Sewage disposal - No information available.

Special precautions for waste treatment - No information available.

Community or national or regional provisions - No information available.

SECTION 14: Transport information

14.1 - UN number or ID number

UN number (ADR) : UN1950

UN number (RID) : UN1950

UN number (ADN) : UN1950

UN number (IMDG) : UN1950

UN number (IATA) : UN1950

14.2 - UN proper shipping name

UN proper shipping name (ADR) : AEROSOLS

UN proper shipping name (RID) : AEROSOLS

UN proper shipping name (ADN) : AEROSOLS

UN proper shipping name (IMDG) : AEROSOLS

UN proper shipping name (IATA) : AEROSOLS, FLAMMABLE

Whiteboard Conditioner

14.3 - Transport hazard class(es)

ADR Transport hazard class(es) : 2

ADR Classification code: : 5F

Pictograms



Transport hazard class(es) (RID) : 2

Pictograms



Transport hazard class(es) (ADN) : 2

Pictograms



Transport hazard class(es) (IMDG) : 2

Pictograms



Transport hazard class(es) (IATA) : 2

Pictograms



14.4 - Packing group

Packing group :

Packing group (RID) :

Packing group (ADN) :

Packing group (IMDG) :

Packing group (IATA) :

14.5 - Environmental hazards

Environmental hazards : No

Marine pollutant : No

14.6 - Special precautions for user

Whiteboard Conditioner

ADR

| | | |
|------------------------------------------------------------------|---|-----------------|
| <u>ADR Classification code:</u> | : | 5F |
| <u>ADR Special provisions</u> | : | 190+327+344+625 |
| <u>ADR Limited quantity (LQ)</u> | : | 1L |
| <u>ADR Excepted quantities</u> | : | E0 |
| <u>ADR Packing instructions</u> | : | P207 LP200 |
| <u>ADR Special packing provisions</u> | : | PP87 RR6 L2 |
| <u>ADR Mixed packing provisions</u> | : | MP9 |
| <u>Instructions for portable tanks and bulk containers</u> | : | |
| <u>Special provisions for portable tanks and bulk containers</u> | : | |
| <u>ADR tank code</u> | : | |
| <u>ADR tanks special provisions</u> | : | |
| <u>Vehicle for tank carriage</u> | : | |
| <u>ADR Transport category</u> | : | 2 |
| <u>ADR Tunnel restriction code</u> | : | D |
| <u>ADR Special provisions loading, unloading and handling</u> | : | CV9 CV12 |
| <u>Special provisions - Packages</u> | : | V14 |
| <u>Special provisions - Bulk</u> | : | |
| <u>Special provisions - Operation</u> | : | S2 |
| <u>ADR Hazard identification number (Kemler No.)</u> | : | |

RID

| | | |
|------------------------------|---|-----------------|
| <u>Special provisions</u> | : | 190 327 344 625 |
| <u>Limited quantity (LQ)</u> | : | 1 L |
| <u>Excepted quantities</u> | : | E0 |

ADN

| | | |
|------------------------------|---|-----------------|
| <u>Special provisions</u> | : | 190 327 344 625 |
| <u>Limited quantity (LQ)</u> | : | 1 L |
| <u>Excepted quantities</u> | : | E0 |

IMDG

| | | |
|------------------------------------------------------------------|---|----------------------------|
| <u>Special provisions</u> | : | 63 190 277 327 344 381 959 |
| <u>Limited quantity (LQ)</u> | : | 1000 mL |
| <u>Excepted quantities</u> | : | E0 |
| <u>Packing instructions</u> | : | P207 LP200 |
| <u>Special packing provisions</u> | : | PP87 L2 |
| <u>IBC instruction(s)</u> | : | |
| <u>IBC provisions</u> | : | |
| <u>Instructions for portable tanks and bulk containers</u> | : | |
| <u>Special provisions for portable tanks and bulk containers</u> | : | |
| <u>EmS codes</u> | : | F-D, S-U |
| <u>Stowage and handling</u> | : | Category None SW1 SW22 |
| <u>Segregation</u> | : | SG69 |
| <u>Properties and observations</u> | : | |

Whiteboard Conditioner

IATA

| | | |
|------------------------------------------------------------------|---|----------------|
| <u>PCA - Excepted quantities</u> | : | E0 |
| <u>PCA - Limited Quantity - Packing Instructions</u> | : | Y203 |
| <u>PCA - Limited Quantity - Maximum Net Quantity per Package</u> | : | 30kg |
| <u>PCA - Packing Instructions</u> | : | 203 |
| <u>PCA - Maximum Net Quantity per Package</u> | : | 75kg |
| <u>CAO - Packing Instructions</u> | : | 203 |
| <u>CAO - Maximum Net Quantity per Package</u> | : | 150kg |
| <u>Special Provisions</u> | : | A145 A167 A802 |
| <u>ERG Code</u> | : | 10L |

14.7 - Maritime transport in bulk according to IMO instruments

SECTION 15: Regulatory information

15.1 - Safety, health and environmental regulations/legislation specific for the substance or mixture

| | |
|------------------------------------|--------|
| <u>Substances REACH candidates</u> | None |
| <u>Substances Annex XIV</u> | None |
| <u>Substances Annex XVII</u> | None |
| <u>VOC content</u> | 98.7 % |

Regulation (EC) No. 648/2004 (Detergents regulation)

Zone libre de la rubrique 1501 pour les détergents

15.2 - Chemical Safety Assessment

Chemical safety assessment carried out for the product - No information available.

SECTION 16: Other information

SDS versions

| Version | Issue date | Author | Description of the amendments |
|---------|------------|--------|-------------------------------|
| 2 | 12/22/2022 | | |
| 1 | 9/16/2022 | | |

Texts of the regulatory sentences

| | |
|---------------|--------------------------------------------|
| Aerosol 1 | Aerosol - Category 1 |
| Eye Irrit. 2 | Eye irritation - Category 2 |
| Eye Irrit. 2A | Eye irritation - Category 2A |
| Flam. Gas 1 | Flammable gas. - Category 1 |
| Flam. Liq. 2 | Flammable liquid and vapour. - Category 2 |
| H220 | Extremely flammable gas |
| H222 | Extremely flammable aerosol |
| H225 | Highly flammable liquid and vapour |
| H229 | Pressurised container: May burst if heated |
| H315 | Causes skin irritation |

Whiteboard Conditioner

| | |
|---------------------|------------------------------------------|
| H319 | Causes serious eye irritation |
| H336 | May cause drowsiness or dizziness |
| Press. Gas | Gases under pressure |
| Skin Irrit. 2 | Irritation, Category 2 |
| STOT SE 3 (H336) | STOT-single exposure - Category 3 (H336) |

*** **