

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Important information *** This Safety Data Sheet is only authorised for use by HP for HP Original products. Any

unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action

being taken by HP. ***

1.1. Product identifier

Trade name or designation

HP Color LaserJet CF470X-XC Black Print Cartridge

of the mixture

Registration number -

Synonyms None.

Issue date 07-Aug-2018

Version number 10

Revision date 19-Sep-2021 Supersedes date 10-Aug-2021

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses This product is a black toner preparation that is used in HP Color LaserJet LJ M652 / HP Color

LaserJet M681 / HP Color LaserJet LJ M653 / HP Color LaserJet M682 series printers.

Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

HP Inc UK Ltd, Regulatory Enquiries, Earley West

300 Thames Valley Park Drive, Reading, RG6 1PT

Telephone +44 20 7660 0596 (Consumer)

+44 20 7660 0403 (Commercial)

HP Inc. health effects line

(Toll-free within the US) 1-800-457-4209

(Direct) 1-760-710-0048

HP Inc. Customer Care

Line

(Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551

Email: hpcustomer.inquiries@hp.com

1.4 Emergency telephone +

number

+44 20 35147487

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification as hazardous according to Regulation (EC) 1272/2008.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Contains: Amorphous silica, Black Pigment, Styrene acrylate copolymer, Wax

Hazard pictograms None.
Signal word None.

Hazard statements The mixture does not meet the criteria for classification.

Precautionary statements

Prevention Not available.

Response Not available.

Storage Not available.

Disposal Not available.

Supplemental label information None.

Material name: CF470X-XC SDS UK

14228 Version #: 10 Revision date: 19-Sep-2021 Issue date: 07-Aug-2018

2.3. Other hazards

This preparation contains no component classified as Persistent, Bioaccumulative, and Toxic (PBT) or very Persistent and very Bioaccumulative (vPvB) as defined under Regulation (EC)

1907/2006.

Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not present this carcinogenic risk. None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

l informat	

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Styrene acrylate copolymer	<85	Trade Secret	-	-	
Classification: -		-			
Black Pigment	<10	Proprietary	01-2119384822-32-XXXX	-	
Classification: -		-			
Wax	<10	Trade Secret	-	-	
Classification: -		-			
Amorphous silica	<3	7631-86-9 231-545-4	01-2119379499-16-xxxx	-	
Classification: -					

SECTION 4: First aid measures

General information Not available.

4.1. Description of first aid measures

Inhalation Move person to fresh air immediately. If irritation persists, consult a physician.

Skin contact Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation

develops or persists.

Eye contact Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at

least 15 minutes or until particles are removed. If irritation persists, consult a physician.

Ingestion Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a

physician.

4.2. Most important symptoms and effects, both acute and

delayed

Not available.

4.3. Indication of any immediate medical attention and special treatment needed

Not available.

SECTION 5: Firefighting measures

General fire hazards Not available.

5.1. Extinguishing media

Suitable extinguishing

CO2, water, or dry chemical

media

Unsuitable extinguishing

media

None known.

5.2. Special hazards arising from the substance or mixture

Like most organic material in powder form, toner can form explosive dust-air mixtures when finely dispersed in air.

5.3. Advice for firefighters

Special protective equipment for firefighters

Not available.

Special fire fighting

procedures

If fire occurs in the printer, treat as an electrical fire.

Specific methods None established.

Material name: CF470X-XC SDS UK

14228 Version #: 10 Revision date: 19-Sep-2021 Issue date: 07-Aug-2018

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency

personnel

Minimize dust generation and accumulation.

Not available. For emergency responders

6.2. Environmental precautions Do not flush into surface water or sanitary sewer system. See also section 13 Disposal

considerations.

6.3. Methods and material for containment and cleaning up Slowly vacuum or sweep the material into a bag or other sealed container. Clean remainder with a

damp cloth or vacuum cleaner. If a vacuum is used, the motor must be rated as dust explosion-proof. Fine powder can form explosive dust-air mixtures. Dispose of in compliance with

federal, state, and local regulations.

6.4. Reference to other

sections

Not available.

SECTION 7: Handling and storage

7.1. Precautions for safe

handling

Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames.

7.2. Conditions for safe storage, including any incompatibilities

Keep out of the reach of children. Keep tightly closed and dry. Store at room temperature. Store

away from strong oxidizers.

Not available. 7.3. Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

UK. EH40 Workplace Exposure Limits (WELs)

Components	Туре	Value
Black Pigment	STEL	7 mg/m3
	TWA	3.5 mg/m3

Biological limit values

Componente

No biological exposure limits noted for the ingredient(s).

Recommended monitoring

procedures

Not available.

Derived no effect levels (DNELs)

rype	Route	value	FOIIII
Consumers	Inhalation	1.75 mg/m3	Local long term
	Inhalation	0.06 mg/m3	Systemic long term
Workers	Inhalation	2 mg/m3	Local long term
	Inhalation	1 mg/m3	Systemic long term
Type	Route	Value	Form
	Consumers Workers	Consumers Inhalation Inhalation Workers Inhalation Inhalation	Consumers Inhalation 1.75 mg/m3 Inhalation 0.06 mg/m3 Workers Inhalation 2 mg/m3 Inhalation 1 mg/m3

Black Pigment Not applicable Freshwater 5 mg/l Marine water 5 mg/l

5 mg/m3 (Respirable Fraction), 3 mg/m3 (Respirable Particulate) Amorphous silica: USA OSHA **Exposure guidelines**

(TWA/PEL): 20 mppcf 80 (mg/m3)/%SiO2, ACGIH (TWA/TLV): 10 mg/m3 TRGS 900

(Luftgrenzwert) - 10 mg/m3 (Einatembare partikel), 3 mg/m3 (Alveolengängige fraktion) UK WEL:

1/-1--

10 mg/m3 (Respirable Dust), 5 mg/m3 (Inhalable Dust)

8.2. Exposure controls

Appropriate engineering

Use in a well ventilated area.

controls

Individual protection measures, such as personal protective equipment

General information No personal respiratory protective equipment required under normal conditions of use.

Not available. Eye/face protection

Skin protection

Not available. - Hand protection Not available. - Other Respiratory protection Not available. Thermal hazards Not available. Not available. Hygiene measures

Material name: CF470X-XC SDS UK

14228 Version #: 10 Revision date: 19-Sep-2021 Issue date: 07-Aug-2018

Environmental exposure

Not available.

controls

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Fine powder **Appearance** Liquid. Physical state solid **Form** Color Black.

Odor Slight plastic odor Odor threshold Not available. Not applicable Not available. Melting point/freezing point Not applicable Initial boiling point and boiling

range

Not applicable Flash point **Evaporation rate** Not applicable Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits

Flammability limit - lower

Not flammable

(%)

Flammability limit - upper

Not available.

(%)

Vapor pressure Not applicable Vapor density Not applicable

Solubility(ies)

Negligible in water. Partially soluble in toluene and xylene. Solubility (water)

Partition coefficient

(n-octanol/water)

Not available.

Not applicable **Auto-ignition temperature Decomposition temperature** > 392 °F (> 200 °C) **Viscosity** Not applicable Not available. **Explosive properties**

No information available. Oxidizing properties

9.2. Other information

Softening point 176 - 266 °F (80 - 130 °C)

Specific gravity 1 - 1.2

SECTION 10: Stability and reactivity

10.1. Reactivity Not available.

Stable under normal storage conditions. 10.2. Chemical stability

10.3. Possibility of hazardous

reactions

Will not occur.

10.4. Conditions to avoid Imaging Drum: Exposure to light

10.5. Incompatible materials Strong oxidizers

Carbon monoxide and carbon dioxide. 10.6. Hazardous

decomposition products

SECTION 11: Toxicological information

Not available. **General information**

Information on likely routes of exposure

Under normal conditions of intended use, this material is not expected to be an inhalation hazard. Inhalation

Skin contact Contact with skin may result in mild irritation. Eye contact Contact with eyes may result in mild irritation. Ingestion is not a likely route of exposure. Ingestion

Symptoms Not available.

11.1. Information on toxicological effects

Material name: CF470X-XC SDS UK

Based on available data, the classification criteria are not met. Acute toxicity

Test Results Components **Species**

Black Pigment

Acute Oral

LD50 Rat > 10000 mg/kg

Skin corrosion/irritation

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.

Respiratory sensitization Based on available data, the classification criteria are not met. Skin sensitization Based on available data, the classification criteria are not met.

Germ cell mutagenicity Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium)

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met. Carcinogenicity

> Carbon black is classified as a carcinogen by the IARC (possibly carcinogenic to humans, Group 2B) and by the State of California under Proposition 65. In their evaluations of carbon black, both organizations indicate that exposure to carbon black, per se, does not occur when it remains bound within a product matrix, specifically, rubber, ink, or paint. Carbon black is present only in a bound form in this preparation. None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

Amorphous silica (CAS 7631-86-9)

3 Not classifiable as to carcinogenicity to humans.

Reproductive toxicity Specific target organ toxicity - Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.

single exposure

Specific target organ toxicity -

repeated exposure

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Aspiration hazard

Mixture versus substance

information

Not available.

Other information Complete toxicity data are not available for this specific formulation

Refer to Section 2 for potential health effects and Section 4 for first aid measures.

SECTION 12: Ecological information

12.1. Toxicity LC50: > 100 mg/l, Fish, 96.00 Hours

Product **Species Test Results** CF470X-XC

Aquatic

ErC50 Algae Algae > 100 mg/l, 72 Hours Crustacea EC50 Crustacea > 100 mg/l, 48 Hours Fish LC50 Fish > 100 mg/l, 96 Hours

12.2. Persistence and

degradability

Not available.

Not available. 12.3. Bioaccumulative potential **Partition coefficient** Not available

n-octanol/water (log Kow)

Bioconcentration factor (BCF) Not available. Not available. 12.4. Mobility in soil

12.5. Results of PBT and vPvB

Not a PBT or vPvB substance or mixture.

assessment

12.6. Other adverse effects Not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste Not available. Not available. Contaminated packaging EU waste code Not available

Material name: CF470X-XC 14228 Version #: 10 Revision date: 19-Sep-2021 Issue date: 07-Aug-2018

Disposal methods/information

Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal,

state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle.

SECTION 14: Transport information

DOT

UN number Not available. **UN proper shipping name** Not Regulated

Transport hazard class(es)

Class Not available.

Subsidiary risk

Packing group Not available.

Environmental hazards

Marine pollutant No

Special precautions for user Not available.

IATA

UN number Not available.
UN proper shipping name Not Regulated

Transport hazard class(es)

Class Not available.

Subsidiary risk -

Packing group Not available.

Environmental hazards No

Special precautions for user Not available.

IMDG

UN number Not available.
UN proper shipping name Not Regulated

Transport hazard class(es)

Class Not available.

Subsidiary risk

Packing group Not available.

Transport hazard class(es)

Marine pollutant No

EmS Not available. Special precautions for user Not available.

ADR

UN number Not available. **UN proper shipping name** Not Regulated

Transport hazard class(es)

Class Not available.

Subsidiary risk -

Hazard No. (ADR) Not available.

Tunnel restriction code Not available.

Packing group Not available.

Environmental hazards No

Special precautions for user Not available.

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Not listed.

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Not listed

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.

Material name: CF470X-XC SDS UK

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

Authorizations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended

Not listed.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Not listed.

All chemical substances in this HP product have been notified or are exempt from notification Other regulations

under chemical substances notification laws in the following countries: US (TSCA), EU

(EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea,

New Zealand, and China.

This Safety Data Sheet complies with the requirements of Regulation (EU) 2015/830. Other information

Classification according to Regulation (EC) No 1272/2008 as amended.

National regulations

Not available

15.2. Chemical safety assessment

See attached SUMI or GEIS document, if applicable.

SECTION 16: Other information

References

Regulation (EC) No. 1907/2006 of December 18, 2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) and establishing a European Chemicals Agency (REACH).

Regulation (EU) 2015/830 of May 28, 2015 amending Regulation (EC) No. 1907/2006.

Regulation (EC) No. 1272/2008 of December 16, 2008 on classification, labeling and packaging of substances and mixtures, and amendments (CLP).

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available,

Full text of any H-statements not written out in full under

None.

Sections 2 to 15

Revision information

None.

Training information

Follow training instructions when handling this material.

Disclaimer

This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.

Material name: CF470X-XC SDS UK

Explanation of abbreviations

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

CFR Code of Federal Regulations

COC Cleveland Open Cup

DOT Department of Transportation

EPCRA Emergency Planning and Community Right-to-Know Act (aka SARA)

International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

REC Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds

Material name: CF470X-XC sps uk