

Label Remover

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 - Product identifier

Trade name/designation Label Remover

Chemical name

Product-type Mixture

Product code 761.200

UFI: FS00-Q0YW-A00V-SEGT

1.2 - Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

- PC35: Washing and cleaning products (including solvent based products).
- Aerosols
- Consumer uses: Private households (= general public = consumers)

1.3 - Details of the supplier of the safety data sheet

Avery Zweckform GmbH

Miesbacher Str. 5

83626 Oberlaindern

Tel. No. +49 8024 641 0

Internet: www.avery-zweckform.com

+41 (0)44 / 787 53 53

1.4 - Emergency telephone number

Verwenden Sie Ihre nationale oder lokale Notrufnummer (Deutschland)

Tel. No.: +49(0)30-19240.

Schweizerisches Toxikologisches Informationszentrum (Schweiz)/ Centro svizzero di informazione tossicologica (Svizzera)/ Centre Suisse d'Information Toxicologique (Suisse)

Tel. No.: +41 44 251 51 51

Tox Info Suisse Notrufnummer: 145 (24 Stunden)/ Numero di emergenza Tox Info Suisse: 145 (24 ore)/ Tox Info

Suisse Numéro d'urgence: 145 (24h)

Giftnotrufzentrale (Österreich)

Tel. No.: +43 1 406 4343

SECTION 2: Hazards identification

2.1 - Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

Aerosol 1	Aerosol - Category 1
Skin Irrit. 2	Irritation, Category 2
Eye Irrit. 2	Eye irritation - Category 2
STOT SE 3	STOT-single exposure - Category 3 (H336)
Aquatic Chronic 2	Hazardous to the aquatic environment - Aquatic Chronic 2

Label Remover

2.2 - Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Contains: Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane | propan-2-ol, isopropyl alcohol, isopropanol

Signal word : Danger

Hazard pictograms



Hazard statements

H222	Extremely flammable aerosol
H229	Pressurised container: May burst if heated
H315	Causes skin irritation
H319	Causes serious eye irritation
H336	May cause drowsiness or dizziness
H411	Toxic to aquatic life with long lasting effects

Precautionary statements

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read carefully and follow all instructions.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211	Do not spray on an open flame or other ignition source.
P251	Do not pierce or burn, even after use.
P410+P412	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
EUH-phrases	: None

Regulation (EC) No. 648/2004 (Detergents regulation)

Contains:

- 30% or more: aliphatic hydrocarbons
- PARFUM (CITRAL)

2.3 - Other hazards

PBT-substance. - This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

vPvB-substance. - This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

Other hazards which do not result in classification - Even after use and until complete evaporation of the flammable components, there is still a danger of an explosive steam-air mixture forming.

SECTION 3: Composition / information on ingredients

Label Remover

3.1 - Substances

Not applicable

3.2 - Mixtures

Chemical name	No.	%	Class(es)	Specific concentration limit
Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane	CAS No. : Index No. : EC No. : 921-024-6	>= 85 - < 90	Aquatic Chronic 2 - H411 Asp. Tox. 1 - H304 Flam. Liq. 2 - H225 Skin Irrit. 2 - H315 STOT SE 3 - H336	Not applicable
propan-2-ol, isopropyl alcohol, isopropanol INCI: ISOPROPYL ALCOHOL	CAS No. : 67-63-0 Index No. : 603-117-00-0 EC No. : 200-661-7	>= 10 - < 12.5	Eye Irrit. 2 - H319 Flam. Liq. 2 - H225 STOT SE 3 - H336	Not applicable
carbon dioxide INCI: CARBON DIOXIDE	CAS No. : 124-38-9 Index No. : EC No. : 204-696-9	>= 1 - < 2.5	Press. Gas (Comp.) - H280	Not applicable

SECTION 4: First aid measures

4.1 - Description of first aid measures

Following inhalation

- Provide fresh air.
- If breathing is irregular or stopped, administer artificial respiration.
- Call a physician immediately.

Following skin contact

- After contact with skin, wash immediately with plenty of water and soap.
- Remove contaminated, saturated clothing immediately.
- When in doubt or if symptoms are observed, get medical advice.

After eye contact

- In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

After ingestion

- Observe risk of aspiration if vomiting occurs.
- If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention.

4.2 - Most important symptoms and effects, both acute and delayed

Symptoms and effects - Following inhalation

- May cause drowsiness or dizziness.

Symptoms and effects - Following skin contact

- Causes skin irritation.

Symptoms and effects - After eye contact

- Causes eye irritation.

Symptoms and effects - After ingestion

- No information available.

4.3 - Indication of any immediate medical attention and special treatment needed

- Treat symptomatically.
- In case an intoxication is suspected, National Poisons Information Centre should be addressed immediately, number of Emergency telephone see in section 1.4.

SECTION 5: Firefighting measures

Label Remover

5.1 - Extinguishing media

Suitable extinguishing media

- ABC-powder
- Carbon dioxide (CO₂)
- Foam
- Extinguishing powder

Unsuitable extinguishing media

- Full water jet

5.2 - Special hazards arising from the substance or mixture

Special hazards arising from the substance or mixture

- Extremely flammable aerosol. Pressurized container: May burst if heated.
- Vapours can form explosive mixtures with air.

Hazardous decomposition products

- No information available.

5.3 - Advice for firefighters

- Co-ordinate fire-fighting measures to the fire surroundings.
- Wear a self-contained breathing apparatus and chemical protective clothing.
- Use water spray jet to protect personnel and to cool endangered containers.
- Suppress gases/vapours/mists with water spray jet.
- Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.
- Do not allow run-off from fire-fighting to enter drains or water courses.

SECTION 6: Accidental release measures

6.1 - Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

- Use personal protection equipment.
- Avoid breathing dust/fume/gas/mist/vapours/spray.
- Avoid contact with skin, eyes and clothes.
- Provide adequate ventilation.
- Remove all sources of ignition.
- Remove persons to safety.
- Ventilate affected area.
- Wear breathing apparatus if exposed to vapours/dusts/aerosols.

For emergency responders

- Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.2 - Environmental precautions

- Do not allow uncontrolled discharge of product into the environment.
- Explosion risk.

6.3 - Methods and material for containment and cleaning up

Methods and material for containment

- No information available.

Methods and material for cleaning up

- Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).
- Wash with plenty of water.

Label Remover

Inappropriate techniques - No information available.

6.4 - Reference to other sections

- Safe handling: see section 7
- Personal protection equipment: see section 8
- Disposal: see section 13

SECTION 7: Handling and storage

7.1 - Precautions for safe handling

- Recommendation
- Heating causes rise in pressure with risk of bursting.
 - Do not breathe gas/fumes/vapour/spray.
 - Do not pierce or burn, even after use.
 - Do not spray on naked flames or any incandescent material.
 - If handled uncovered, arrangements with local exhaust ventilation have to be used.
 - Keep away from sources of ignition - No smoking.
 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
 - Take precautionary measures against static discharges.
 - Vapours can form explosive mixtures with air.

- Advices on general occupational hygiene
- Immediately remove any contaminated clothing, shoes or stockings.
 - Draw up and observe skin protection programme.
 - Wash hands and face before breaks and after work and take a shower if necessary.
 - When using do not eat, drink, smoke, sniff.

7.2 - Conditions for safe storage, including any incompatibilities

- Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- Keep container tightly closed in a cool, well-ventilated place.
- Keep locked up.
- Provide adequate ventilation as well as local exhaustion at critical locations.
- Store in a place accessible by authorized persons only.
- Do not store together with: Oxidising agent
- Do not store together with: Combustible substance
- Keep away from: Food and feedingstuffs

7.3 - Specific end use(s)

- Preparatory and cleaning products

SECTION 8: Exposure controls/personal protection

8.1 - Control parameters

propan-2-ol, isopropyl alcohol, isopropanol (67-63-0)	
TWA EH40 ppm (UK)	400 ppm
TWA EH40 mg/m ³ (UK)	999 mg/m ³
STEL EH40 ppm (UK)	500 ppm
STEL EH40 mg/m ³ (UK)	1250 mg/m ³

Label Remover

carbon dioxide (124-38-9)	
IOELV TWA mg/m ³ (UE)	9150 mg/m ³
IOELV TWA ppm (UE)	5000 ppm
IOELV STEL mg/m ³ (UE)	27400 mg/m ³
IOELV STEL ppm (UE)	15000 ppm

DNEL / PNEC

Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane			
Type	Value	User	Effect
DNEL long-term oral (repeated)	699 mg/kg bw/day	Consumers	Systemic
DNEL long-term inhalative	2035 mg/m ³	Workers	Systemic
DNEL long-term inhalative	608 mg/m ³	Consumers	Systemic
DNEL long-term dermal	773 mg/kg bw/day	Workers	Systemic
DNEL long-term dermal	699 mg/kg bw/day	Consumers	Systemic

propan-2-ol, isopropyl alcohol, isopropanol (67-63-0)			
Type	Value	User	Effect
DNEL short-term oral (acute)	51 mg/kg	Consumers	Systemic
DNEL long-term oral (repeated)	26 mg/kg bw/day	Consumers	Systemic
DNEL acute inhalative	178 mg/m ³	Consumers	Systemic
DNEL acute inhalative	1000 mg/m ³	Workers	Systemic
DNEL long-term inhalative	500 mg/m ³	Workers	Systemic
DNEL long-term inhalative	89 mg/m ³	Consumers	Systemic
DNEL long-term dermal	888 mg/kg bw/day	Workers	Systemic
DNEL long-term dermal	319 mg/kg bw/day	Consumers	Systemic
PNEC aquatic, freshwater	140.9 mg/l		
PNEC aquatic, marine water	140.9 mg/l		
PNEC aquatic, intermittent release	140.9 mg/l		
PNEC sediment, freshwater	552 mg/kg		
PNEC sediment, marine water	552 mg/kg		
PNEC soil	28 mg/kg		
PNEC Secondary Poisoning	160 mg/kg		
PNEC sewage treatment plant (STP)	2251 mg/l		

8.2 - Exposure controls

Appropriate engineering controls

- If handled uncovered, arrangements with local exhaust ventilation have to be used.
- Do not breathe dust/fume/gas/mist/vapours/spray.
- If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means.

Individual protection measures, such as personal protective equipment

- Wear eye/face protection.
- Suitable eye protection: Goggles.

- BS EN ISO 16321-1:2022
- When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits.



Label Remover

- The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.
- Suitable material: NBR (Nitrile rubber)

- Thickness of the glove material: $\geq 0,4$ mm
- Suitable material: FKM (fluoro rubber)

- Thickness of the glove material: 0,7 mm
- Breakthrough time: > 480 min.
- For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.
- Wear anti-static footwear and clothing
- This product should not be used under conditions of poor ventilation unless a protective mask with an appropriate gas filter (i.e. type A1 according to standard EN 14387) is used.

Environmental exposure controls

- Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1 - Information on basic physical and chemical properties

<u>Physical state</u>	Liquid	<u>Appearance</u>	Aerosol
<u>Colour</u>	clear	<u>Odour</u>	fruity
Odour threshold	No data available		
pH	No data available		
Melting point	No data available		
Freezing point	No data available		
Boiling point	> 65 °C		
Flash point	< 0 °C		
Evaporation rate	No data available		
flammability	No data available		
Lower explosion limit	0.6 % Vol.		
Upper explosion limit	12 % Vol.		
Vapour pressure	No data available		
Vapour density	No data available		
Relative density	0.707		
Density	No data available		
Solubility (Water)	No data available		
Solubility (Ethanol)	No data available		
Solubility (Acetone)	No data available		
Solubility (Organic solvents)	No data available		

Label Remover

Log KOC	No data available
Auto-ignition temperature	> 200 °C
Decomposition temperature	No data available
Kinematic viscosity	No data available
Dynamic viscosity	No data available

Particle characteristics

Particle size	No data available
Dustiness	No data available
Specific surface area	No data available
Shape	No data available

9.2 - Other information

VOC content	692.008 g/l 97,879 %
Minimum ignition energy	No data available
Conductivity	No data available
Refractive index	No data available
Solids content	No data available
Surface tension	No data available
Saturation concentration	No data available

- Directive 2004/42/EC on the limitation of emissions of volatile organic compounds
- VOC: 97,948 % (692,493 g/l)

SECTION 10: Stability and reactivity

10.1 - Reactivity

- Extremely flammable aerosol. Pressurized container: May burst if heated.

10.2 - Chemical stability

- The product is chemically stable under recommended conditions of storage, use and temperature.

10.3 - Possibility of hazardous reactions

- No known hazardous reactions.

10.4 - Conditions to avoid

- Keep away from sources of heat (e.g. hot surfaces), sparks and open flames.
- Vapours can form explosive mixtures with air.

10.5 - Incompatible materials

- No information available.

10.6 - Hazardous decomposition products

- No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1 - Information on hazard classes as defined in Regulation (EC) No 1272/2008

Label Remover

Acute toxicity - Based on available data, the classification criteria are not met.

Toxicity : Mixture

LD50 oral (rat)	No data available
LD50 dermal (rat)	No data available
LD50 dermal (rabbit)	No data available
LC50 inhalation (rat)	No data available
LC50 inhalation dusts and mists (rat)	No data available
LC50 inhalation vapours (rat)	No data available

Toxicity : Substances

Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane ()	
LD50 oral (rat)	> 5840 mg/kg
LD50 dermal (rat)	> 2920 mg/kg
LC50 inhalation vapours (rat)	> 25.2 mg/l
propan-2-ol, isopropyl alcohol, isopropanol (67-63-0)	
LD50 oral (rat)	5840 mg/kg
LD50 dermal (rabbit)	13900 mg/kg
LC50 inhalation vapours (rat)	5000 mg/l

Skin corrosion/irritation - Irritation, Category 2 - Causes skin irritation

Serious eye damage/eye irritation - Eye irritation - Category 2 - Causes serious eye irritation

Respiratory or skin sensitisation - Based on available data, the classification criteria are not met.

Germ cell mutagenicity - Based on available data, the classification criteria are not met.

Carcinogenicity - Based on available data, the classification criteria are not met.

Reproductive toxicity - Based on available data, the classification criteria are not met.

STOT-single exposure - STOT-single exposure - Category 3 (H336) - May cause drowsiness or dizziness

STOT-repeated exposure - Based on available data, the classification criteria are not met.

Aspiration hazard - Based on available data, the classification criteria are not met.

11.2 - Information on other hazards

- This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

SECTION 12: Ecological information

12.1 - Toxicity

Toxicity : Mixture

EC50 48 hr crustacea	No data available
LC50 96 hr fish	No data available
ErC50 algae	No data available
ErC50 other aquatic plants	No data available

Label Remover

NOEC chronic fish	No data available
NOEC chronic crustacea	No data available
NOEC chronic algae	No data available
NOEC chronic other aquatic plants	No data available

Toxicity : Substances

propan-2-ol, isopropyl alcohol, isopropanol (67-63-0)	
EC50 48 hr crustacea	9714 mg/l Daphnia magna OECD 202
LC50 96 hr fish	9640 mg/l OECD 203
ErC50 algae	> 100 mg/l Scenedesmus subspicatus
NOEC chronic fish	> 1000 mg/l Danio rerio
NOEC chronic crustacea	> 1000 mg/l
NOEC chronic algae	1800 mg/l
carbon dioxide (124-38-9)	
EC50 48 hr crustacea	3.2 mg/l
LC50 96 hr fish	35 mg/l Oncorhynchus mykiss (Rainbow trout)
ErC50 algae	7.9 mg/l

12.2 - Persistence and degradability

Mixture

Biochemical oxygen demand (BOD)	No data available
Chemical oxygen demand (COD)	No data available
% of biodegradation in 28 days	No data available

Substances

Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane ()	
% of biodegradation in 28 days	98 %
propan-2-ol, isopropyl alcohol, isopropanol (67-63-0)	
% of biodegradation in 28 days	95 %

12.3 - Bioaccumulative potential

Mixture

Bioconcentration factor (BCF)	No data available
Log KOC	No data available

Substances

propan-2-ol, isopropyl alcohol, isopropanol (67-63-0)	
Bioconcentration factor (BCF)	0.994
Log KOC	0.05

12.4 - Mobility in soil

Label Remover

- The product has not been tested.

12.5 - Results of PBT and vPvB assessment

- This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

- This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

12.6 - Endocrine disrupting properties

- This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7 - Other adverse effects

- Avoid release to the environment.

SECTION 13: Disposal considerations

13.1 - Waste treatment methods

<u>Waste treatment methods</u>	- Dispose of waste according to applicable legislation. - Handle contaminated packages in the same way as the substance itself. - Do not allow to enter into surface water or drains. - Do not allow to enter into soil/subsoil. - Non-contaminated packages may be recycled.
<u>Sewage disposal</u>	- No information available.
<u>Special precautions for waste treatment</u>	- No information available.
<u>Community or national or regional provisions</u>	- No information available.
<u>Waste codes / waste designations according to Regulation 2014/955/UE</u>	16 05 04* - gases in pressure containers (including halons) containing hazardous substances

SECTION 14: Transport information

14.1 - UN number or ID number

<u>UN number (ADR)</u>	:	UN1950
<u>UN number (RID)</u>	:	UN1950
<u>UN number (ADN)</u>	:	UN1950
<u>UN number (IMDG)</u>	:	UN1950
<u>UN number (IATA)</u>	:	UN1950

14.2 - UN proper shipping name

Label Remover

UN proper shipping name (ADR) : AEROSOLS
UN proper shipping name (RID) : AEROSOLS
UN proper shipping name (ADN) : AEROSOLS
UN proper shipping name (IMDG) : AEROSOLS
UN proper shipping name (IATA) : AEROSOLS, FLAMMABLE

14.3 - Transport hazard class(es)

ADR Transport hazard class(es) : 2
ADR Classification code: : 5F
Pictograms



Transport hazard class(es) (RID) : 2
Pictograms



Transport hazard class(es) (ADN) : 2
Pictograms



Transport hazard class(es) (IMDG) : 2
Pictograms



Transport hazard class(es) (IATA) : 2
Pictograms



14.4 - Packing group

Label Remover

Packing group :
Packing group (RID) :
Packing group (ADN) :
Packing group (IMDG) :
Packing group (IATA) :

14.5 - Environmental hazards

Environmental hazards : Yes.
Marine pollutant : Hazardous to the aquatic environment - Aquatic Chronic 2

14.6 - Special precautions for user

ADR

ADR Classification code : 5F
ADR Special provisions : 190+327+344+625
ADR Limited quantity (LQ) : 1L
ADR Excepted quantities : E0
ADR Packing instructions :
ADR Special packing provisions :
ADR Mixed packing provisions :
Instructions for portable tanks and bulk containers :
Special provisions for portable tanks and bulk containers :
ADR tank code :
ADR tanks special provisions :
Vehicle for tank carriage :
ADR Transport category : 2
ADR Tunnel restriction code : D
ADR Special provisions loading, unloading and handling :
Special provisions - Packages : V14
Special provisions - Bulk :
Special provisions - Operation : S2
ADR Hazard identification number (Kemler No.) :

RID

Special provisions : 190+327+344+625
Limited quantity (LQ) : 1L
Excepted quantities : E0

ADN

Special provisions : 190+327+344+625
Limited quantity (LQ) : 1 L
Excepted quantities : E0

Label Remover

IMDG

<u>Special provisions</u>	:	63 190 277 327 344 381 959
<u>Limited quantity (LQ)</u>	:	1000 mL
<u>Excepted quantities</u>	:	E0
<u>Packing instructions</u>	:	
<u>Special packing provisions</u>	:	
<u>IBC instruction(s)</u>	:	
<u>IBC provisions</u>	:	
<u>Instructions for portable tanks and bulk containers</u>	:	
<u>Special provisions for portable tanks and bulk containers</u>	:	
<u>EmS codes</u>	:	F-D, S-U
<u>Stowage and handling</u>	:	Category None SW1 SW22
<u>Segregation</u>	:	
<u>Properties and observations</u>	:	

IATA

<u>PCA - Excepted quantities</u>	:	E0
<u>PCA - Limited Quantity - Packing Instructions</u>	:	Y203
<u>PCA - Limited Quantity - Maximum Net Quantity per Package</u>	:	30kg
<u>PCA - Packing Instructions</u>	:	203
<u>PCA - Maximum Net Quantity per Package</u>	:	75kg
<u>CAO - Packing Instructions</u>	:	203
<u>CAO - Maximum Net Quantity per Package</u>	:	150kg
<u>Special Provisions</u>	:	
<u>ERG Code</u>	:	

14.7 - Maritime transport in bulk according to IMO instruments

SECTION 15: Regulatory information

15.1 - Safety, health and environmental regulations/legislation specific for the substance or mixture

Substances REACH candidates None

Substances Annex XIV None

Substances Annex XVII None

VOC content 692.008 g/l

- - Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No.793/93, Commission Regulation (EC) No. 1488/94, Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (Official Journal of the European Union No. L 396, 30-12-2006, error correction – No. L 136/3, 2007-5-29);

- - On 16 December 2008 the Regulation (EC) No. 1272/2008 of the European Parliament and of the Council on classification, labelling and packaging of chemical substances and mixtures was undersigned. The said Regulation amended and repealed the directives 67/548/EEC and 1999/45/EC and Regulation (EC) No. 1907/2006 (the REACH Regulation). The Regulation has been published in the Official Journal of the European Union No. L 353, volume 51 on 31 December, 2008;

- - REGULATION (EC) No 648/2004 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 31 March 2004 on detergents (OJ L 104/1, 8.4.2004, p.001-0035);

Label Remover

- - COMMISSION REGULATION (EU) 2016/918 of 19 May 2016 amending, for the purposes of its adaptation to technical and scientific progress, Regulation (EC) No 1272/2008 of the European Parliament and of the Council on classification, labelling and packaging of substances and mixtures. The Regulation has been published in the Official Journal of the European Union No. L 156, on 14 June, 2016;
- - COMMISSION REGULATION (EU) 2020/878 of 18 June 2020 amending Regulation (EC) No. 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (OJ L 203, 26.6.2020, p. 28–58);
- - COUNCIL DIRECTIVE of 20 May 1975 on the approximation of the laws of the Member States relating to aerosol dispensers (75/324/EEC) (OJ L 147, 9.6.1975, p. 40)
- 850/2004/EC, 79/117/EEC, 689/2008/EC , 2008/47/EC
- - The European Agreement concerning International Carriage of Dangerous Goods by Road (ADR).
- Directive 98/24/EC of 7 April 1998 on the protection of the health and safety of workers from the risks related to chemical agents at work
- Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).
- Directive 2004/42/EC on the limitation of emissions of volatile organic compounds
- Directive 2010/75/EU on industrial emissions [Industrial Emissions Directive]
- Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances [Seveso-III-Directive]
- P3b Flammable aerosols
- E2 Hazardous to the aquatic environment in Category Chronic 2
- Use restriction according to REACH annex XVII, no.: 3, 40
- The Aerosol Dispensers Regulations 2009

Regulation (EC) No. 648/2004 (Detergents regulation)

Contains:

- 30% or more: aliphatic hydrocarbons
- PARFUM (CITRAL)

15.2 - Chemical Safety Assessment

Chemical safety assessment carried out for the product - No information available.

SECTION 16: Other information

SDS versions

Version	Issue date	Author	Description of the amendments
2	29/01/2025		
1	11/08/2022		

Indication of changes: Section: 1, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16.

Abbreviations and acronyms

- ICAO: International Civil Aviation Organization
- EC50: Effective concentration of the substance that causes adverse effects in 50% of test animals.
- IATA: International Air Transport Association.
- DNEL: Derived no-effect level.
- LOEC: Lowest Observed Effect Concentration.
- LOEL: Lowest Observed Adverse Effect Level.
- EC No: European Community number
- IMDG: International Maritime Dangerous Goods.

Label Remover

- CAS No.: Chemical Abstracts Service number.
- NOEC: No Observed Effect Concentration.
- NOEL: No observable effect level.
- OEL: Occupational exposure limit.
- LC50: Lethal Concentration to 50 % of a test animals.
- PBT: Persistent, Bioaccumulative and Toxic.
- ADR: The Agreement concerning the International Carriage of Dangerous Goods by Road
- PNEC: Predicted no-effect concentration.
- RID: International Carriage of Dangerous Goods by Rail.
- STEL: Short-term exposure limit
- ATE: Acute Toxicity Estimate.
- TWA: Time weighted average
- LD50: Lethal Dose to 50% of a test animals.
- vPvB: very Persistent and very Bioaccumulative.

Data sources: European Chemicals Agency (ECHA)
European Chemicals Bureau (ECB)
International Laboratories Organization (ILO)

Texts of the regulatory sentences

Aerosol 1	Aerosol - Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment - Aquatic Chronic 2
Asp. Tox. 1	Aspiration hazard - Category 1
Eye Irrit. 2	Eye irritation - Category 2
Flam. Liq. 2	Flammable liquid and vapour. - Category 2
H222	Extremely flammable aerosol
H225	Highly flammable liquid and vapour.
H229	Pressurised container: May burst if heated
H280	Contains gas under pressure; may explode if heated.
H315	Causes skin irritation
H319	Causes serious eye irritation
H336	May cause drowsiness or dizziness
H411	Toxic to aquatic life with long lasting effects
Press. Gas (Comp.)	Compressed gas
Skin Irrit. 2	Irritation, Category 2
STOT SE 3	STOT-single exposure - Category 3 (H336)

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

*** **